

## Section B: UNITED STATES AND MISSOURI DATA FROM THE NATIONAL SURVEY ON DRUG USE AND HEALTH

Scroll down or click on the [red links](#) to view currently available charts:

SUBSTANCE USE	Estimated U.S. & MO Percent	Estimated MO Number	Estimated Region Number
Alcohol Use in the Past Month	<a href="#">B-01</a>	<a href="#">B-02</a>	B-03
Binge Alcohol Use in the Past Month	<a href="#">B-04</a>	<a href="#">B-05</a>	B-06
Tobacco Product Use in the Past Month	<a href="#">B-07</a>	<a href="#">B-08</a>	B-09
Cigarette Use in the Past Month	<a href="#">B-10</a>	<a href="#">B-11</a>	B-12
Illicit Drug Use in the Past Month	<a href="#">B-13</a>	<a href="#">B-14</a>	B-15
Illicit Drug Use Other Than Marijuana in the Past Month	<a href="#">B-16</a>	<a href="#">B-17</a>	B-18
Marijuana Use in the Past Month	<a href="#">B-19</a>	<a href="#">B-20</a>	B-21
Marijuana Use in the Past Year	<a href="#">B-22</a>	<a href="#">B-23</a>	B-24
First Use of Marijuana in the Past Year	<a href="#">B-25</a>	<a href="#">B-26</a>	B-27
Cocaine Use in the Past Year	<a href="#">B-28</a>	<a href="#">B-29</a>	B-30
Methamphetamine Use in the Past Year	<a href="#">B-31</a>	<a href="#">B-32</a>	B-33
Heroin Use in the Past Year	<a href="#">B-34</a>	<a href="#">B-35</a>	B-36
Opioid Misuse in the Past Year	<a href="#">B-37</a>	<a href="#">B-38</a>	B-39
Prescription Pain Reliever Misuse in the Past Year	<a href="#">B-40</a>	<a href="#">B-41</a>	B-42

### PERCEPTION OF RISK

Perception of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week	<a href="#">B-43</a>	<a href="#">B-44</a>	B-45
Perception of Great Risk from Smoking One or More Packs of Cigarettes per Day	<a href="#">B-46</a>	<a href="#">B-47</a>	B-48
Perception of Great Risk from Smoking Marijuana Once a Month	<a href="#">B-49</a>	<a href="#">B-50</a>	B-51
Perception of Great Risk from Using Cocaine Once a Month	<a href="#">B-52</a>	<a href="#">B-53</a>	B-54
Perception of Great Risk from Trying Heroin Once or Twice	<a href="#">B-55</a>	<a href="#">B-56</a>	B-57

### DISORDERS

Substance Use Disorder in the Past Year	<a href="#">B-58</a>	<a href="#">B-59</a>	B-60
Alcohol Use Disorder in the Past Year	<a href="#">B-61</a>	<a href="#">B-62</a>	B-63
Illicit Drug Use Disorder in the Past Year	<a href="#">B-64</a>	<a href="#">B-65</a>	B-67
Opioid Use Disorder in the Past Year	<a href="#">B-67</a>	<a href="#">B-68</a>	B-69
Prescription Pain Reliever Use Disorder in the Past Year	<a href="#">B-70</a>	<a href="#">B-71</a>	B-72

### UNMET TREATMENT NEED

Needing But Not Receiving Treatment at a Specialty Facility for Substance Use in the Past Year	<a href="#">B-73</a>	<a href="#">B-74</a>	B-75
Needing But Not Receiving Treatment at a Specialty Facility for Alcohol Use in the Past Year	<a href="#">B-76</a>	<a href="#">B-77</a>	B-78
Needing But Not Receiving Treatment at a Specialty Facility for Illicit Drug Use in the Past Year	<a href="#">B-79</a>	<a href="#">B-80</a>	B-81


### MENTAL ILLNESS

Any Mental Illness in the Past Year	<a href="#">B-82</a>	<a href="#">B-83</a>	B-84
Serious Mental Illness in the Past Year	<a href="#">B-85</a>	<a href="#">B-86</a>	B-87
Major Depressive Episode in the Past Year	<a href="#">B-88</a>	<a href="#">B-89</a>	B-90
Attempted Suicide in the Past Year	<a href="#">B-91</a>	<a href="#">B-92</a>	B-93
Made Suicide Plan in the Past Year	<a href="#">B-94</a>	<a href="#">B-95</a>	B-96
Had Serious Thoughts of Suicide in the Past Year	<a href="#">B-97</a>	<a href="#">B-98</a>	B-99
Received Mental Health Services in the Past Year	<a href="#">B-100</a>	<a href="#">B-101</a>	B-102


DETAILED TABLES OF SUBSTANCES USED, U.S. POPULATION	Estimated U.S.
Lifetime and Past Month, Ages 12 and Older	<a href="#">B-103</a>
Lifetime and Past Month, Ages 12-17	<a href="#">B-104</a>
Lifetime and Past Month, Ages 18-25	<a href="#">B-105</a>
Lifetime and Past Month, Ages 26 and Older	<a href="#">B-106</a>

# ALCOHOL USE IN THE PAST MONTH: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP

## Alcohol Use in the Past Month: United States and Missouri Ages 12 and Older




## Alcohol Use in the Past Month: United States and Missouri Ages 12-17



## Alcohol Use in the Past Month: United States and Missouri Ages 18-25




## Alcohol Use in the Past Month: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.

# ALCOHOL USE IN THE PAST MONTH: POPULATION ESTIMATES


## Alcohol Use in the Past Month: Missouri Ages 12 and Older




## Alcohol Use in the Past Month: Missouri Ages 12-17



## Alcohol Use in the Past Month: Missouri Ages 18-25




## Alcohol Use in the Past Month: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.

# BINGE ALCOHOL USE IN THE PAST MONTH: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Binge Alcohol Use in the Past Month: United States and Missouri Ages 12 and Older




## Binge Alcohol Use in the Past Month: United States and Missouri Ages 12-17



## Binge Alcohol Use in the Past Month: United States and Missouri Ages 18-25




## Binge Alcohol Use in the Past Month: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. 2014-2015 data are not available for this measure.

# BINGE ALCOHOL USE IN THE PAST MONTH: POPULATION ESTIMATES


## Binge Alcohol Use in the Past Month: Missouri Ages 12 and Older




## Binge Alcohol Use in the Past Month: Missouri Ages 12-17



## Binge Alcohol Use in the Past Month: Missouri Ages 18-25



## Binge Alcohol Use in the Past Month: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.


Estimates are 2-year averages except for 2021. Binge Alcohol Use is defined by SAMHSA as drinking five or more drinks (for males) or four or more drinks (for females) on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. 2014-2015 estimates are not available for this measure.

# TOBACCO PRODUCT USE IN THE PAST MONTH: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Tobacco Product Use in the Past Month: United States and Missouri Ages 12 and Older




## Tobacco Product Use in the Past Month: United States and Missouri Ages 12-17



## Tobacco Product Use in the Past Month: United States and Missouri Ages 18-25




## Tobacco Product Use in the Past Month: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.

# TOBACCO PRODUCT USE IN THE PAST MONTH: POPULATION ESTIMATES


**Tobacco Product Use in the Past Month: Missouri Ages 12 and Older**




**Tobacco Product Use in the Past Month: Missouri Ages 12-17**



**Tobacco Product Use in the Past Month: Missouri Ages 18-25**




**Tobacco Product Use in the Past Month: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.

# CIGARETTE USE IN PAST MONTH: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Cigarette Use in the Past Month: United States and Missouri Ages 12 and Older**




**Cigarette Use in the Past Month: United States and Missouri Ages 12-17**



**Cigarette Use in the Past Month: United States and Missouri Ages 18-25**



**Cigarette Use in the Past Month: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.




## CIGARETTE USE IN THE PAST MONTH: POPULATION ESTIMATES


**Cigarette Use in the Past Month: Missouri Ages 12 and Older**




**Cigarette Use in the Past Month: Missouri Ages 12-17**



**Cigarette Use in the Past Month: Missouri Ages 18-25**




**Cigarette Use in the Past Month: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.

# ILLICIT DRUG USE IN THE PAST MONTH: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Illicit Drug Use in the Past Month: United States and Missouri Ages 12 and Older




## Illicit Drug Use in the Past Month: United States and Missouri Ages 12-17



## Illicit Drug Use in the Past Month: United States and Missouri Ages 18-25




## Illicit Drug Use in the Past Month: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. 2014-2015 data are not available for this measure.

## ILLICIT DRUG USE IN THE PAST MONTH: POPULATION ESTIMATES


### Illicit Drug Use in the Past Month: Missouri Ages 12 and Older




### Illicit Drug Use in the Past Month: Missouri Ages 12-17



### Illicit Drug Use in the Past Month: Missouri Ages 18-25




### Illicit Drug Use in the Past Month: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. 2014-2015 estimates are not available for this measure.

# ILLICIT DRUG USE OTHER THAN MARIJUANA: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Illicit Drug Use Other Than Marijuana in the Past Month: United States and Missouri Ages 12 and Older




## Illicit Drug Use Other Than Marijuana in the Past Month: United States and Missouri Ages 12-17



## Illicit Drug Use Other Than Marijuana in the Past Month: United States and Missouri Ages 18-25




## Illicit Drug Use Other Than Marijuana in the Past Month: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. 2014-2015 data are not available for this measure.

# ILLICIT DRUG USE OTHER THAN MARIJUANA IN THE PAST MONTH: POPULATION ESTIMATES


## Illicit Drug Use Other Than Marijuana in the Past Month: Missouri Ages 12 and Older




## Illicit Drug Use Other Than Marijuana in the Past Month: Missouri Ages 12-17



## Illicit Drug Use Other Than Marijuana in the Past Month: Missouri Ages 18-25




## Illicit Drug Use Other Than Marijuana in the Past Month: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. 2014-2015 estimates are not available for this measure.

# MARIJUANA USE IN THE PAST MONTH: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Marijuana Use in the Past Month: United States and Missouri Ages 12 and Older




## Marijuana Use in the Past Month: United States and Missouri Ages 12-17



## Marijuana Use in the Past Month: United States and Missouri Ages 18-25




## Marijuana Use in the Past Month: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.

## MARIJUANA USE IN THE PAST MONTH: POPULATION ESTIMATES


### Marijuana Use in the Past Month: Missouri Ages 12 and Older




### Marijuana Use in the Past Month: Missouri Ages 12-17



### Marijuana Use in the Past Month: Missouri Ages 18-25




### Marijuana Use in the Past Month: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.

# MARIJUANA USE IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Marijuana Use in the Past Year: United States and Missouri Ages 12 and Older




## Marijuana Use in the Past Year: United States and Missouri Ages 12-17



## Marijuana Use in the Past Year: United States and Missouri Ages 18-25



## Marijuana Use in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.




## MARIJUANA USE IN THE PAST YEAR: POPULATION ESTIMATES


### Marijuana Use in the Past Year: Missouri Ages 12 and Older




### Marijuana Use in the Past Year: Missouri Ages 12-17



### Marijuana Use in the Past Year: Missouri Ages 18-25




### Marijuana Use in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.

# FIRST USE OF MARIJUANA IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## First Use of Marijuana in the Past Year: United States and Missouri Ages 12 and Older




## First Use of Marijuana in the Past Year: United States and Missouri Ages 12-17



## First Use of Marijuana in the Past Year: United States and Missouri Ages 18-25




## First Use of Marijuana in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021..

## FIRST USE OF MARIJUANA IN THE PAST YEAR: POPULATION ESTIMATES


**First Use of Marijuana in the Past Year: Missouri Ages 12 and Older**




**First Use of Marijuana in the Past Year: Missouri Ages 12-17**



**First Use of Marijuana in the Past Year: Missouri Ages 18-25**




**First Use of Marijuana in the Past Year: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.

# COCAINE USE IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Cocaine Use in the Past Year: United States and Missouri Ages 12 and Older




## Cocaine Use in the Past Year: United States and Missouri Ages 12-17



## Cocaine Use in the Past Year: United States and Missouri Ages 18-25




## Cocaine Use in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.

## COCAINE USE IN THE PAST YEAR: POPULATION ESTIMATES


### Cocaine Use in the Past Year: Missouri Ages 12 and Older




### Cocaine Use in the Past Year: Missouri Ages 12-17



### Cocaine Use in the Past Year: Missouri Ages 18-25




### Cocaine Use in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

# METHAMPHETAMINE USE IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Methamphetamine Use in the Past Year: United States and Missouri Ages 12 and Older




## Methamphetamine Use in the Past Year: United States and Missouri Ages 12-17



## Methamphetamine Use in the Past Year: United States and Missouri Ages 18-25




## Methamphetamine Use in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. 2016-2017 is the first Missouri analysis period for this measure.

## METHAMPHETAMINE USE IN THE PAST YEAR: POPULATION ESTIMATES


**Methamphetamine Use in the Past Year: Missouri Ages 12 and Older**




**Methamphetamine Use in the Past Year: Missouri Ages 12-17**



**Methamphetamine Use in the Past Year: Missouri Ages 18-25**




**Methamphetamine Use in the Past Year: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. Estimates prior to 2016-2017 are not available for this measure.

# HEROIN USE IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Heroin Use in the Past Year: United States and Missouri Ages 12 and Older




## Heroin Use in the Past Year: United States and Missouri Ages 12-17



## Heroin Use in the Past Year: United States and Missouri Ages 18-25



## Heroin Use in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. Due to low response to heroin use by ages 12-17 in the 2019, 2020, and 2021 surveys, estimates are not available for the 12-17 and 12+ age groups.




## HEROIN USE IN THE PAST YEAR: POPULATION ESTIMATES


### Heroin Use in the Past Year: Missouri Ages 12 and Older




### Heroin Use in the Past Year: Missouri Ages 12-17



### Heroin Use in the Past Year: Missouri Ages 18-25




### Heroin Use in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. Estimates prior to 2015-2016 are not available for this measure. Estimated values are rounded to the nearest 1,000. For years 2015-2019, the published value for the 12-17 age group is "0", indicating the estimate is less than 500. Due to small samples, estimates for 2019-2021 are not available for ages 12-17 and ages 12+.

# OPIOID MISUSE IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


Opioid Misuse in the Past Year: United States and Missouri Ages 12 and Older




Opioid Misuse in the Past Year: United States and Missouri Ages 12-17



Opioid Misuse in the Past Year: United States and Missouri Ages 18-25




Opioid Misuse in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. 2021 is the first year for this estimate.

## OPIOID MISUSE IN THE PAST YEAR: POPULATION ESTIMATES


**Opioid Misuse in the Past Year: Missouri Ages 12 and Older**




**Opioid Misuse in the Past Year: Missouri Ages 12-17**



**Opioid Misuse in the Past Year: Missouri Ages 18-25**




**Opioid Misuse in the Past Year: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. 2021 is the first year for this estimate.

# PRESCRIPTION PAIN RELIEVER MISUSE: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Prescription Pain Reliever Misuse in the Past Year: United States and Missouri Ages 12 and Older**




**Prescription Pain Reliever Misuse in the Past Year: United States and Missouri Ages 12-17**



**Prescription Pain Reliever Misuse in the Past Year: United States and Missouri Ages 18-25**




**Prescription Pain Reliever Misuse in the Past Year: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. 2015-2016 is the first Missouri analysis period for this measure.

# PRESCRIPTION PAIN RELIEVER MISUSE IN THE PAST YEAR: POPULATION ESTIMATES


## Prescription Pain Reliever Misuse in the Past Year: Missouri Ages 12 and Older




## Prescription Pain Reliever Misuse in the Past Year: Missouri Ages 12-17



## Prescription Pain Reliever Misuse in the Past Year: Missouri Ages 18-25




## Prescription Pain Reliever Misuse in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. 2014-2015 data are not available for this measure.

## PERCEPTION OF RISK FROM BINGE DRINKING: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


### Perceive Great Risk from Consuming Five or More Alcoholic Drinks Once or Twice a Week: United States and Missouri Ages 12 and Older




### Perceive Great Risk from Consuming Five or More Alcoholic Drinks Once or Twice a Week: United States and Missouri Ages 12-17



### Perceive Great Risk from Consuming Five or More Alcoholic Drinks Once or Twice a Week: United States and Missouri Ages 18-25




### Perceive Great Risk from Consuming Five or More Alcoholic Drinks Once or Twice a Week: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. 2014-2015 data are not available for this measure.

## PERCEPTION OF RISK FROM BINGE DRINKING: POPULATION ESTIMATES


**Perceive Great Risk from Consuming Five or More Alcoholic Drinks Once or Twice a Week: Missouri Ages 12 and Older**




**Perceive Great Risk from Consuming Five or More Alcoholic Drinks Once or Twice a Week: Missouri Ages 12-17**



**Perceive Great Risk from Consuming Five or More Alcoholic Drinks Once or Twice a Week: Missouri Ages 18-25**



**Perceive Great Risk from Consuming Five or More Alcoholic Drinks Once or Twice a Week: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.


Estimates are 2-year averages except for 2021. Binge Alcohol Use is defined by SAMHSA as drinking five or more drinks (for males) or four or more drinks (for females) on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. 2014-2015 estimates are not available for this

**PERCEPTION OF RISK FROM CIGARETTE SMOKING: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP**


**Perceive Great Risk from Smoking One or More Packs of Cigarettes Daily: United States and Missouri Ages 12 and Older**




**Perceive Great Risk from Smoking One or More Packs of Cigarettes Daily: United States and Missouri Ages 12-17**



**Perceive Great Risk from Smoking One or More Packs of Cigarettes Daily: United States and Missouri Ages 18-25**



**Perceive Great Risk from Smoking One or More Packs of Cigarettes Daily: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. 2014-2015 data are not available for this measure.




## PERCEPTION OF RISK FROM CIGARETTE SMOKING: POPULATION ESTIMATES


**Perceive Great Risk from Smoking One or More Packs of Cigarettes per Day: Missouri Ages 12 and Older**




**Perceive Great Risk from Smoking One or More Packs of Cigarettes per Day: Missouri Ages 12-17**



**Perceive Great Risk from Smoking One or More Packs of Cigarettes per Day: Missouri Ages 18-25**




**Perceive Great Risk from Smoking One or More Packs of Cigarettes per Day: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. 2014-2015 estimates are not available for this measure.

**PERCEPTION OF RISK FROM USING MARIJUANA: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP**


**Perceive Great Risk from Smoking Marijuana Once a Month: United States and Missouri Ages 12 and Older**




**Perceive Great Risk from Smoking Marijuana Once a Month: United States and Missouri Ages 12-17**



**Perceive Great Risk from Smoking Marijuana Once a Month: United States and Missouri Ages 18-25**




**Perceive Great Risk from Smoking Marijuana Once a Month: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. 2014-2015 data are not available for this measure.

## PERCEPTION OF RISK FROM SMOKING MARIJUANA: POPULATION ESTIMATES


**Perceive Great Risk from Smoking Marijuana Once a Month: Missouri Ages 12 and Older**




**Perceive Great Risk from Smoking Marijuana Once a Month: Missouri Ages 12-17**



**Perceive Great Risk from Smoking Marijuana Once a Month: Missouri Ages 18-25**




**Perceive Great Risk from Smoking Marijuana Once a Month: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. 2014-2015 estimates are not available for this measure.

## PERCEPTION OF RISK FROM USING COCAINE: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Perceive Great Risk from Using Cocaine Once a Month: United States and Missouri Ages 12 and Older**




**Perceive Great Risk from Using Cocaine Once a Month: United States and Missouri Ages 12-17**



**Perceive Great Risk from Using Cocaine Once a Month: United States and Missouri Ages 18-25**




**Perceive Great Risk from Using Cocaine Once a Month: United States and Missouri Ages 26 and Older**




Data Source : U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. 2015-2016 is the first Missouri analysis period for this measure.

## PERCEPTION OF RISK FROM USING COCAINE: POPULATION ESTIMATES


**Perceive Great Risk from Using Cocaine Once a Month: Missouri Ages 12 and Older**




**Perceive Great Risk from Using Cocaine Once a Month: Missouri Ages 12-17**



**Perceive Great Risk from Using Cocaine Once a Month: Missouri Ages 18-25**




**Perceive Great Risk from Using Cocaine Once a Month: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. Estimates prior to 2015-2016 are not available for this measure.

# PERCEPTION OF RISK FROM TRYING HEROIN: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


Perceive Great Risk from Trying Heroin Once or Twice: United States and Missouri Ages 12 and Older




Perceive Great Risk from Trying Heroin Once or Twice: United States and Missouri Ages 12-17



Perceive Great Risk from Trying Heroin Once or Twice: United States and Missouri Ages 18-25




Perceive Great Risk from Trying Heroin Once or Twice: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. 2015-2016 is the first Missouri analysis period for this measure.

## PERCEPTION OF RISK FROM TRYING HEROIN: POPULATION ESTIMATES


### Perceive Great Risk from Trying Heroin Once or Twice: Missouri Ages 12 and Older




### Perceive Great Risk from Trying Heroin Once or Twice: Missouri Ages 12-17



### Perceive Great Risk from Trying Heroin Once or Twice: Missouri Ages 18-25




### Perceive Great Risk from Trying Heroin Once or Twice: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. Estimates prior to 2015-2016 are not available for this measure.

# SUBSTANCE USE DISORDER: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Substance Use Disorder in the Past Year: United States and Missouri Ages 12 and Older




## Substance Use Disorder in the Past Year: United States and Missouri Ages 12-17



## Substance Use Disorder in the Past Year: United States and Missouri Ages 18-25



## Substance Use Disorder in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Earlier estimates are 2-year averages. 2014-2015 data are not available for this measure. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5 criteria.




## SUBSTANCE USE DISORDER IN THE PAST YEAR: POPULATION ESTIMATES


### Substance Use Disorder in the Past Year: Missouri Ages 12 and Older




### Substance Use Disorder in the Past Year: Missouri Ages 12-17



### Substance Use Disorder in the Past Year: Missouri Ages 18-25




### Substance Use Disorder in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Earlier estimates are 2-year averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5. 2014-2015 estimates are not available for this measure.

# ALCOHOL USE DISORDER IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Alcohol Use Disorder in the Past Year: United States and Missouri Ages 12 and Older




## Alcohol Use Disorder in the Past Year: United States and Missouri Ages 12-17



## Alcohol Use Disorder in the Past Year: United States and Missouri Ages 18-25




## Alcohol Use Disorder in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Earlier estimates are 2-year averages. Prior to 2020, estimates are based on DSM-IV criteria. Beginning in 2020, estimates are based on DSM-5 criteria.

## ALCOHOL USE DISORDER IN THE PAST YEAR: POPULATION ESTIMATES


### Alcohol Use Disorder in the Past Year: Missouri Ages 12 and Older




### Alcohol Use Disorder in the Past Year: Missouri Ages 12-17



### Alcohol Use Disorder in the Past Year: Missouri Ages 18-25




### Alcohol Use Disorder in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Earlier estimates are 2-year averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5.

# ILLICIT DRUG USE DISORDER: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Illicit Drug Use Disorder in the Past Year: United States and Missouri Ages 12 and Older




## Illicit Drug Use Disorder in the Past Year: United States and Missouri Ages 12-17



## Illicit Drug Use Disorder in the Past Year: United States and Missouri Ages 18-25




## Illicit Drug Use Disorder in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Earlier estimates are 2-year averages. 2014-2015 data are not available for this measure. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5 criteria.

## DRUG USE DISORDER IN THE PAST YEAR: POPULATION ESTIMATES


### Drug Use Disorder in the Past Year: Missouri Ages 12 and Older




### Drug Use Disorder in the Past Year: Missouri Ages 12-17



### Drug Use Disorder in the Past Year: Missouri Ages 18-25




### Drug Use Disorder in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Earlier estimates are 2-year averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5. 2014-2015 estimates are not available for this measure.

# OPIOID USE DISORDER: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Opioid Use Disorder in the Past Year: United States and Missouri Ages 12 and Older




## Opioid Use Disorder in the Past Year: United States and Missouri Ages 12-17



## Opioid Use Disorder in the Past Year: United States and Missouri Ages 18-25




## Opioid Use Disorder in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Disorder estimate is based on DSM-5 criteria. 2021 is the first year for this estimate.

## OPIOID USE DISORDER IN THE PAST YEAR: POPULATION ESTIMATES


**Opioid Use Disorder in the Past Year: Missouri Ages 12 and Older**




**Opioid Use Disorder in the Past Year: Missouri Ages 12-17**



**Opioid Use Disorder in the Past Year: Missouri Ages 18-25**




**Opioid Use Disorder in the Past Year: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. 2021 is the first year for this estimate.

# PRESCRIPTION PAIN RELIEVER USE DISORDER: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


Prescription Pain Reliever Use Disorder in the Past Year: United States and Missouri Ages 12 and Older




Prescription Pain Reliever Use Disorder in the Past Year: United States and Missouri Ages 12-17



Prescription Pain Reliever Use Disorder in the Past Year: United States and Missouri Ages 18-25



Prescription Pain Reliever Use Disorder in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Earlier estimates are 2-year averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5 criteria. All past-year users of prescription drugs were included in 2021 survey.




## PRESCRIPTION PAIN RELIEVER USE DISORDER IN THE PAST YEAR: POPULATION ESTIMATES


**Prescription Pain Reliever Use Disorder in the Past Year: Missouri Ages 12 and Older**




**Prescription Pain Reliever Use Disorder in the Past Year: Missouri Ages 12-17**



**Prescription Pain Reliever Use Disorder in the Past Year: Missouri Ages 18-25**




**Prescription Pain Reliever Use Disorder in the Past Year: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Earlier estimates are 2-year averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5. 2015-2016 is the first estimate period for this measure.

# UNMET NEED FOR SUBSTANCE USE TREATMENT: U.S. AND MISSOURI COMPARISON BY AGE GROUP


## Needing but Not Receiving Specialty Treatment for Substance Use Disorder in Past Year: U.S. and Missouri Ages 12 and Older




## Needing but Not Receiving Specialty Treatment for Substance Use Disorder in Past Year: U.S. and Missouri Ages 12-17



## Needing but Not Receiving Specialty Treatment for Substance Use Disorder in Past Year: U.S. and Missouri Ages 18-25




## Needing but Not Receiving Specialty Treatment for Substance Use Disorder in Past Year: U.S. and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Earlier estimates are 2-year averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5 criteria.

## UNMET NEED FOR SUBSTANCE USE DISORDER TREATMENT: POPULATION ESTIMATES


### Needing But Not Receiving Specialty Treatment for Substance Use Disorder in Past Year: Ages 12 and Older




### Needing But Not Receiving Specialty Treatment for Substance Use Disorder in Past Year: Ages 12-17



### Needing But Not Receiving Specialty Treatment for Substance Use Disorder in Past Year: Ages 18-25




### Needing But Not Receiving Specialty Treatment for Substance Use Disorder in Past Year: Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Earlier estimates are 2-year averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5. 2014-2015 estimates are not available for this measure.

# UNMET NEED FOR ALCOHOL USE TREATMENT: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Needing but Not Receiving Specialty Treatment for Alcohol Use Disorder in Past Year: U.S. and Missouri Ages 12 and Older




## Needing but Not Receiving Specialty Treatment for Alcohol Use Disorder in Past Year: U.S. and Missouri Ages 12-17



## Needing but Not Receiving Specialty Treatment for Alcohol Use Disorder in Past Year: U.S. and Missouri Ages 18-25




## Needing but Not Receiving Specialty Treatment for Alcohol Use Disorder in Past Year: U.S. and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Earlier estimates are 2-year averages. 2014-2015 data are not available for this measure. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5 criteria.

## UNMET NEED FOR ALCOHOL USE DISORDER TREATMENT: POPULATION ESTIMATES


### Needing But Not Receiving Specialty Treatment for Alcohol Use Disorder in Past Year: Ages 12 and Older




### Needing But Not Receiving Specialty Treatment for Alcohol Use Disorder in Past Year: Ages 12-17



### Needing But Not Receiving Specialty Treatment for Alcohol Use Disorder in Past Year: Ages 18-25




### Needing But Not Receiving Specialty Treatment for Alcohol Use Disorder in Past Year: Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Earlier estimates are 2-year averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5. 2014-2015 estimates are not available for this measure.

# UNMET NEED FOR DRUG USE TREATMENT: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Needing but Not Receiving Specialty Treatment for Illicit Drug Use Disorder in Past Year: U.S. and Missouri Ages 12 and Older




## Needing but Not Receiving Specialty Treatment for Illicit Drug Use Disorder in Past Year: U.S. and Missouri Ages 12-17



## Needing but Not Receiving Specialty Treatment for Illicit Drug Use Disorder in Past Year: U.S. and Missouri Ages 18-25




## Needing but Not Receiving Specialty Treatment for Illicit Drug Use Disorder in Past Year: U.S. and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Earlier estimates are 2-year averages. 2014-2015 data are not available for this measure. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5 criteria.

## UNMET NEED FOR DRUG USE DISORDER TREATMENT: POPULATION ESTIMATES


### Needing But Not Receiving Specialty Treatment for Illicit Drug Use Disorder in Past Year: Ages 12 and Older




### Needing But Not Receiving Specialty Treatment for Illicit Drug Use Disorder in Past Year: Ages 12-17



### Needing But Not Receiving Specialty Treatment for Illicit Drug Use Disorder in Past Year: Ages 18-25




### Needing But Not Receiving Specialty Treatment for Illicit Drug Use Disorder in Past Year: Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Earlier estimates are 2-year averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5. 2014-2015 estimates are not available for this measure.

## ANY MENTAL ILLNESS IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Any Mental Illness in the Past Year: United States and Missouri Ages 18 and Older**



**Any Mental Illness in the Past Year: United States and Missouri Ages 18-25**



**Any Mental Illness in the Past Year: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.




## ANY MENTAL ILLNESS IN THE PAST YEAR: POPULATION ESTIMATES


### Any Mental Illness in the Past Year: Missouri Ages 18 and Older



### Any Mental Illness in the Past Year: Missouri Ages 18-25




### Any Mental Illness in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.

## SERIOUS MENTAL ILLNESS IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


Serious Mental Illness in the Past Year: United States and Missouri Ages 18 and Older



Serious Mental Illness in the Past Year: United States and Missouri Ages 18-25




Serious Mental Illness in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.

## SERIOUS MENTAL ILLNESS IN THE PAST YEAR: POPULATION ESTIMATES


### Serious Mental Illness in the Past Year: Missouri Ages 18 and Older



### Serious Mental Illness in the Past Year: Missouri Ages 18-25




### Serious Mental Illness in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.

# MAJOR DEPRESSIVE EPISODE IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Major Depressive Episode in the Past Year: United States and Missouri Ages 18 and Older




## Major Depressive Episode in the Past Year: United States and Missouri Ages 12-17



## Major Depressive Episode in the Past Year: United States and Missouri Ages 18-25




## Major Depressive Episode in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

## MAJOR DEPRESSIVE EPISODE IN THE PAST YEAR: POPULATION ESTIMATES


### Major Depressive Episode in the Past Year: Missouri Ages 18 and Older




### Major Depressive Episode in the Past Year: Missouri Ages 12-17



### Major Depressive Episode in the Past Year: Missouri Ages 18-25




### Major Depressive Episode in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.

## SUICIDE ATTEMPT: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


### Attempted Suicide in the Past Year: United States and Missouri Ages 18 and Older



### Attempted Suicide in the Past Year: United States and Missouri Ages 18-25




### Attempted Suicide in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. 2018-2019 is the first Missouri analysis period for this measure.

## SUICIDE ATTEMPT: POPULATION ESTIMATES


### Attempted Suicide in the Past Year: Missouri Ages 18 and Older



### Attempted Suicide in the Past Year: Missouri Ages 18-25




### Attempted Suicide in the Past Year: Missouri Ages 26 and Older




*Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. 2018-2019 is the first analysis period for this measure.*

## SUICIDE PLAN: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


### Made Suicide Plan in the Past Year: United States and Missouri Ages 18 and Older



### Made Suicide Plan in the Past Year: United States and Missouri Ages 18-25



### Made Suicide Plan in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. 2018-2019 is the first Missouri analysis period for this measure.




## SUICIDE PLAN: POPULATION ESTIMATES


### Made Suicide Plan in the Past Year: Missouri Ages 18 and Older



### Made Suicide Plan in the Past Year: Missouri Ages 18-25




### Made Suicide Plan in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. 2018-2019 is the first analysis period for this measure.

## SERIOUS THOUGHTS OF SUICIDE: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Had Serious Thoughts of Suicide in the Past Year: United States and Missouri Ages 18 and Older**



**Had Serious Thoughts of Suicide in the Past Year: United States and Missouri Ages 18-25**




**Had Serious Thoughts of Suicide in the Past Year: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.

## SERIOUS THOUGHTS OF SUICIDE IN THE PAST YEAR: POPULATION ESTIMATES


### Had Serious Thoughts of Suicide in the Past Year: Missouri Ages 18 and Older



### Had Serious Thoughts of Suicide in the Past Year: Missouri Ages 18-25




### Had Serious Thoughts of Suicide in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021.

## RECEIPT OF MENTAL HEALTH SERVICES: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Received Mental Health Services in Past Year: United States and Missouri Ages 18 and Older**



**Received Mental Health Services in Past Year: United States and Missouri Ages 18-25**




**Received Mental Health Services in Past Year: United States and Missouri Ages 26 and Older**




*Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages except for 2021. 2015-2016 is the first Missouri analysis period for this measure.*

## RECEIPT OF MENTAL HEALTH SERVICES IN THE PAST YEAR: POPULATION ESTIMATES


### Received Mental Health Services in the Past Year: Ages 18 and Older



### Received Mental Health Services in the Past Year: Ages 18-25



### Received Mental Health Services in the Past Year: Ages 26 and Older



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.  
 Estimates are 2-year averages except for 2021. 2015-2016 is the first analysis period for this measure.