

**Section B: UNITED STATES AND MISSOURI DATA FROM THE NATIONAL SURVEY ON DRUG USE AND HEALTH**

*Scroll down or click on the **red links** to view currently available charts.  
Region estimates are not yet available.*

Estimated U.S. & MO Percent    Estimated MO Number    Estimated MO Region Percent

**SUBSTANCE USE**

Alcohol Use in the Past Month	<a href="#">B-01</a>	<a href="#">B-02</a>	<a href="#">B-03</a>
Binge Alcohol Use in the Past Month	<a href="#">B-04</a>	<a href="#">B-05</a>	<a href="#">B-06</a>
Tobacco Product Use in the Past Month	<a href="#">B-07</a>	<a href="#">B-08</a>	<a href="#">B-09</a>
Cigarette Use in the Past Month	<a href="#">B-10</a>	<a href="#">B-11</a>	<a href="#">B-12</a>
Illicit Drug Use in the Past Month	<a href="#">B-13</a>	<a href="#">B-14</a>	<a href="#">B-15</a>
Illicit Drug Use Other Than Marijuana in the Past Month	<a href="#">B-16</a>	<a href="#">B-17</a>	<a href="#">B-18</a>
Marijuana Use in the Past Month	<a href="#">B-19</a>	<a href="#">B-20</a>	<a href="#">B-21</a>
Marijuana Use in the Past Year	<a href="#">B-22</a>	<a href="#">B-23</a>	<a href="#">B-24</a>
First Use of Marijuana in the Past Year	<a href="#">B-25</a>	<a href="#">B-26</a>	<a href="#">B-27</a>
Hallucinogen Use in the Past Year	<a href="#">B-28</a>	<a href="#">B-29</a>	<a href="#">B-30</a>
Cocaine Use in the Past Year	<a href="#">B-31</a>	<a href="#">B-32</a>	<a href="#">B-33</a>
Methamphetamine Use in the Past Year	<a href="#">B-34</a>	<a href="#">B-35</a>	<a href="#">B-36</a>
Heroin Use in the Past Year	<a href="#">B-37</a>	<a href="#">B-38</a>	<a href="#">B-39</a>
Opioid Misuse in the Past Year	<a href="#">B-40</a>	<a href="#">B-41</a>	<a href="#">B-42</a>
Prescription Pain Reliever Misuse in the Past Year	<a href="#">B-43</a>	<a href="#">B-44</a>	<a href="#">B-45</a>

**PERCEPTION OF RISK**

Perception of Great Risk in Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week	<a href="#">B-46</a>	<a href="#">B-47</a>	<a href="#">B-48</a>
Perception of Great Risk in Smoking One or More Packs of Cigarettes per Day	<a href="#">B-49</a>	<a href="#">B-50</a>	<a href="#">B-51</a>
Perception of Great Risk in Smoking Marijuana Once a Month	<a href="#">B-52</a>	<a href="#">B-53</a>	<a href="#">B-54</a>
Perception of Great Risk in Using Cocaine Once a Month	<a href="#">B-55</a>	<a href="#">B-56</a>	<a href="#">B-57</a>
Perception of Great Risk in Trying Heroin Once or Twice	<a href="#">B-58</a>	<a href="#">B-59</a>	<a href="#">B-60</a>

**DISORDERS**

Substance Use Disorder in the Past Year	<a href="#">B-61</a>	<a href="#">B-62</a>	<a href="#">B-63</a>
Alcohol Use Disorder in the Past Year	<a href="#">B-64</a>	<a href="#">B-65</a>	<a href="#">B-67</a>
Drug Use Disorder in the Past Year	<a href="#">B-67</a>	<a href="#">B-68</a>	<a href="#">B-69</a>
Opioid Use Disorder in the Past Year	<a href="#">B-70</a>	<a href="#">B-71</a>	<a href="#">B-72</a>
Pain Reliever Use Disorder in the Past Year	<a href="#">B-73</a>	<a href="#">B-74</a>	<a href="#">B-75</a>

**TREATMENT**


Needed Substance Use Treatment in the Past Year	<a href="#">B-76</a>	<a href="#">B-77</a>	<a href="#">B-78</a>
Received Substance Use Treatment in the Past Year	<a href="#">B-79</a>	<a href="#">B-80</a>	<a href="#">B-81</a>
Had Unmet Need for Substance Use Treatment in the Past Year	<a href="#">B-82</a>	<a href="#">B-83</a>	<a href="#">B-84</a>

**MENTAL ILLNESS**


Any Mental Illness in the Past Year	<a href="#">B-85</a>	<a href="#">B-86</a>	<a href="#">B-87</a>
Serious Mental Illness in the Past Year	<a href="#">B-88</a>	<a href="#">B-89</a>	<a href="#">B-90</a>
Major Depressive Episode in the Past Year	<a href="#">B-91</a>	<a href="#">B-92</a>	<a href="#">B-93</a>
Attempted Suicide in the Past Year	<a href="#">B-94</a>	<a href="#">B-95</a>	<a href="#">B-96</a>
Made Suicide Plan in the Past Year	<a href="#">B-97</a>	<a href="#">B-98</a>	<a href="#">B-99</a>
Had Serious Thoughts of Suicide in the Past Year	<a href="#">B-100</a>	<a href="#">B-101</a>	<a href="#">B-102</a>
Received Mental Health Services in the Past Year	<a href="#">B-103</a>	<a href="#">B-104</a>	<a href="#">B-105</a>

# ALCOHOL USE IN THE PAST MONTH: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Alcohol Use in the Past Month: United States and Missouri Ages 12 and Older




## Alcohol Use in the Past Month: United States and Missouri Ages 12-17



## Alcohol Use in the Past Month: United States and Missouri Ages 18-25




## Alcohol Use in the Past Month: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages.

## ALCOHOL USE IN THE PAST MONTH: POPULATION ESTIMATES


### Alcohol Use in the Past Month: Missouri Ages 12 and Older




### Alcohol Use in the Past Month: Missouri Ages 12-17



### Alcohol Use in the Past Month: Missouri Ages 18-25




### Alcohol Use in the Past Month: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

## BINGE ALCOHOL USE IN THE PAST MONTH: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Binge Alcohol Use in the Past Month: United States and Missouri Ages 12 and Older**




**Binge Alcohol Use in the Past Month: United States and Missouri Ages 12-17**



**Binge Alcohol Use in the Past Month: United States and Missouri Ages 18-25**




**Binge Alcohol Use in the Past Month: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. 2014-2015 data are not available for this measure.

## BINGE ALCOHOL USE IN THE PAST MONTH: POPULATION ESTIMATES


**Binge Alcohol Use in the Past Month: Missouri Ages 12 and Older**




**Binge Alcohol Use in the Past Month: Missouri Ages 12-17**



**Binge Alcohol Use in the Past Month: Missouri Ages 18-25**




**Binge Alcohol Use in the Past Month: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. Binge Alcohol Use is defined by SAMHSA as drinking five or more drinks (for males) or four or more drinks (for females) on the same occasion (at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. 2014-2015 estimates are not available for this measure.

# TOBACCO PRODUCT USE IN THE PAST MONTH: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Tobacco Product Use in the Past Month: United States and Missouri Ages 12 and Older




## Tobacco Product Use in the Past Month: United States and Missouri Ages 12-17



## Tobacco Product Use in the Past Month: United States and Missouri Ages 18-25




## Tobacco Product Use in the Past Month: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages.

## TOBACCO PRODUCT USE IN THE PAST MONTH: POPULATION ESTIMATES


### Tobacco Product Use in the Past Month: Missouri Ages 12 and Older




### Tobacco Product Use in the Past Month: Missouri Ages 12-17



### Tobacco Product Use in the Past Month: Missouri Ages 18-25




### Tobacco Product Use in the Past Month: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

## CIGARETTE USE IN PAST MONTH: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Cigarette Use in the Past Month: United States and Missouri Ages 12 and Older**




**Cigarette Use in the Past Month: United States and Missouri Ages 12-17**



**Cigarette Use in the Past Month: United States and Missouri Ages 18-25**



**Cigarette Use in the Past Month: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages.




## CIGARETTE USE IN THE PAST MONTH: POPULATION ESTIMATES


### Cigarette Use in the Past Month: Missouri Ages 12 and Older




### Cigarette Use in the Past Month: Missouri Ages 12-17



### Cigarette Use in the Past Month: Missouri Ages 18-25




### Cigarette Use in the Past Month: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

## ILLICIT DRUG USE IN THE PAST MONTH: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Illicit Drug Use in the Past Month: United States and Missouri Ages 12 and Older**




**Illicit Drug Use in the Past Month: United States and Missouri Ages 12-17**



**Illicit Drug Use in the Past Month: United States and Missouri Ages 18-25**




**Illicit Drug Use in the Past Month: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. 2014-2015 data are not available for this measure.

## ILLICIT DRUG USE IN THE PAST MONTH: POPULATION ESTIMATES


### Illicit Drug Use in the Past Month: Missouri Ages 12 and Older




### Illicit Drug Use in the Past Month: Missouri Ages 12-17



### Illicit Drug Use in the Past Month: Missouri Ages 18-25




### Illicit Drug Use in the Past Month: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. 2014-2015 estimates are not available for this measure.

# ILLICIT DRUG USE OTHER THAN MARIJUANA: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Illicit Drug Use Other Than Marijuana in the Past Month: United States and Missouri Ages 12 and Older




## Illicit Drug Use Other Than Marijuana in the Past Month: United States and Missouri Ages 12-17



## Illicit Drug Use Other Than Marijuana in the Past Month: United States and Missouri Ages 18-25




## Illicit Drug Use Other Than Marijuana in the Past Month: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. 2014-2015 data are not available for this measure.

## ILLICIT DRUG USE OTHER THAN MARIJUANA IN THE PAST MONTH: POPULATION ESTIMATES


**Illicit Drug Use Other Than Marijuana in the Past Month: Missouri Ages 12 and Older**




**Illicit Drug Use Other Than Marijuana in the Past Month: Missouri Ages 12-17**



**Illicit Drug Use Other Than Marijuana in the Past Month: Missouri Ages 18-25**




**Illicit Drug Use Other Than Marijuana in the Past Month: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. 2014-2015 estimates are not available for this measure.

## MARIJUANA USE IN THE PAST MONTH: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


### Marijuana Use in the Past Month: United States and Missouri Ages 12 and Older




### Marijuana Use in the Past Month: United States and Missouri Ages 12-17



### Marijuana Use in the Past Month: United States and Missouri Ages 18-25




### Marijuana Use in the Past Month: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages.

## MARIJUANA USE IN THE PAST MONTH: POPULATION ESTIMATES


### Marijuana Use in the Past Month: Missouri Ages 12 and Older




### Marijuana Use in the Past Month: Missouri Ages 12-17



### Marijuana Use in the Past Month: Missouri Ages 18-25




### Marijuana Use in the Past Month: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

# MARIJUANA USE IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Marijuana Use in the Past Year: United States and Missouri Ages 12 and Older




## Marijuana Use in the Past Year: United States and Missouri Ages 12-17



## Marijuana Use in the Past Year: United States and Missouri Ages 18-25



## Marijuana Use in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.




## MARIJUANA USE IN THE PAST YEAR: POPULATION ESTIMATES


### Marijuana Use in the Past Year: Missouri Ages 12 and Older




### Marijuana Use in the Past Year: Missouri Ages 12-17



### Marijuana Use in the Past Year: Missouri Ages 18-25




### Marijuana Use in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

# FIRST USE OF MARIJUANA IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**First Use of Marijuana in the Past Year: United States and Missouri Ages 12 and Older**




**First Use of Marijuana in the Past Year: United States and Missouri Ages 12-17**



**First Use of Marijuana in the Past Year: United States and Missouri Ages 18-25**




**First Use of Marijuana in the Past Year: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages.

## FIRST USE OF MARIJUANA IN THE PAST YEAR: POPULATION ESTIMATES


### First Use of Marijuana in the Past Year: Missouri Ages 12 and Older




### First Use of Marijuana in the Past Year: Missouri Ages 12-17



### First Use of Marijuana in the Past Year: Missouri Ages 18-25




### First Use of Marijuana in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

# HALLUCINOGEN USE IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


Hallucinogen Use in the Past Year: United States and Missouri Ages 12 and Older




Hallucinogen Use in the Past Year: United States and Missouri Ages 12-17



Hallucinogen Use in the Past Year: United States and Missouri Ages 18-25




Hallucinogen Use in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. 2021 is the first year for this measure.

## HALLUCINOGEN USE IN THE PAST YEAR: POPULATION ESTIMATES


**Hallucinogen Use in the Past Year: Missouri Ages 12 and Older**




**Hallucinogen Use in the Past Year: Missouri Ages 12-17**



**Hallucinogen Use in the Past Year: Missouri Ages 18-25**




**Hallucinogen Use in the Past Year: Missouri Ages 26 and Older**




*Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. 2021-2022 is the first Missouri estimate period for this measure.*

## COCAINE USE IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Cocaine Use in the Past Year: United States and Missouri Ages 12 and Older**




**Cocaine Use in the Past Year: United States and Missouri Ages 12-17**



**Cocaine Use in the Past Year: United States and Missouri Ages 18-25**




**Cocaine Use in the Past Year: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages.

## COCAINE USE IN THE PAST YEAR: POPULATION ESTIMATES


### Cocaine Use in the Past Year: Missouri Ages 12 and Older




### Cocaine Use in the Past Year: Missouri Ages 12-17



### Cocaine Use in the Past Year: Missouri Ages 18-25




### Cocaine Use in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

## METHAMPHETAMINE USE IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Methamphetamine Use in the Past Year: United States and Missouri Ages 12 and Older**




**Methamphetamine Use in the Past Year: United States and Missouri Ages 12-17**



**Methamphetamine Use in the Past Year: United States and Missouri Ages 18-25**



**Methamphetamine Use in the Past Year: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. 2016-2017 is the first Missouri analysis period for this measure.




## METHAMPHETAMINE USE IN THE PAST YEAR: POPULATION ESTIMATES


### Methamphetamine Use in the Past Year: Missouri Ages 12 and Older




### Methamphetamine Use in the Past Year: Missouri Ages 12-17



### Methamphetamine Use in the Past Year: Missouri Ages 18-25




### Methamphetamine Use in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

## HEROIN USE IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Heroin Use in the Past Year: United States and Missouri Ages 12 and Older**




**Heroin Use in the Past Year: United States and Missouri Ages 12-17**



**Heroin Use in the Past Year: United States and Missouri Ages 18-25**




**Heroin Use in the Past Year: United States and Missouri Ages 26 and Older**




*Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. Due to low heroin use and response rates by youth in recent surveys, estimates are not available for the 12-17 and 12+ age groups.*

## HEROIN USE IN THE PAST YEAR: POPULATION ESTIMATES


### Heroin Use in the Past Year: Missouri Ages 12 and Older




### Heroin Use in the Past Year: Missouri Ages 12-17



### Heroin Use in the Past Year: Missouri Ages 18-25




### Heroin Use in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. Due to small samples, estimates for 2019-2022 are not available for the 12-17 age group.

# OPIOID MISUSE IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Opioid Misuse in the Past Year: United States and Missouri Ages 12 and Older**




**Opioid Misuse in the Past Year: United States and Missouri Ages 12-17**



**Opioid Misuse in the Past Year: United States and Missouri Ages 18-25**




**Opioid Misuse in the Past Year: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. 2021 is the first year for this estimate.

## OPIOID MISUSE IN THE PAST YEAR: POPULATION ESTIMATES


**Opioid Misuse in the Past Year: Missouri Ages 12 and Older**




**Opioid Misuse in the Past Year: Missouri Ages 12-17**



**Opioid Misuse in the Past Year: Missouri Ages 18-25**




**Opioid Misuse in the Past Year: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

## PRESCRIPTION PAIN RELIEVER MISUSE: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Prescription Pain Reliever Misuse in the Past Year: United States and Missouri Ages 12 and Older**




**Prescription Pain Reliever Misuse in the Past Year: United States and Missouri Ages 12-17**



**Prescription Pain Reliever Misuse in the Past Year: United States and Missouri Ages 18-25**




**Prescription Pain Reliever Misuse in the Past Year: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. 2015-2016 is the

## PRESCRIPTION PAIN RELIEVER MISUSE IN THE PAST YEAR: POPULATION ESTIMATES


### Prescription Pain Reliever Misuse in the Past Year: Missouri Ages 12 and Older




### Prescription Pain Reliever Misuse in the Past Year: Missouri Ages 12-17



### Prescription Pain Reliever Misuse in the Past Year: Missouri Ages 18-25




### Prescription Pain Reliever Misuse in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages

## PERCEPTION OF RISK FROM BINGE DRINKING: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


### Perceive Great Risk from Consuming Five or More Alcoholic Drinks Once or Twice a Week: United States and Missouri Ages 12 and Older




### Perceive Great Risk from Consuming Five or More Alcoholic Drinks Once or Twice a Week: United States and Missouri Ages 12-17



### Perceive Great Risk from Consuming Five or More Alcoholic Drinks Once or Twice a Week: United States and Missouri Ages 18-25



### Perceive Great Risk from Consuming Five or More Alcoholic Drinks Once or Twice a Week: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. 2014-2015 data are not available for this measure.




## PERCEPTION OF RISK FROM BINGE DRINKING: POPULATION ESTIMATES


**Perceive Great Risk from Consuming Five or More Alcoholic Drinks Once or Twice a Week: Missouri Ages 12 and Older**




**Perceive Great Risk from Consuming Five or More Alcoholic Drinks Once or Twice a Week: Missouri Ages 12-17**



**Perceive Great Risk from Consuming Five or More Alcoholic Drinks Once or Twice a Week: Missouri Ages 18-25**




**Perceive Great Risk from Consuming Five or More Alcoholic Drinks Once or Twice a Week: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. Binge Alcohol Use is defined by SAMHSA as consuming five or more drinks (for males) or four or more drinks (for females) on the same occasion (at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. 2014-2015 estimates are not available for this measure.

**PERCEPTION OF RISK FROM CIGARETTE SMOKING: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP**


**Perceive Great Risk from Smoking One or More Packs of Cigarettes Daily: United States and Missouri Ages 12 and Older**




**Perceive Great Risk from Smoking One or More Packs of Cigarettes Daily: United States and Missouri Ages 12-17**



**Perceive Great Risk from Smoking One or More Packs of Cigarettes Daily: United States and Missouri Ages 18-25**




**Perceive Great Risk from Smoking One or More Packs of Cigarettes Daily: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. 2014-2015 data are not available for this measure.

## PERCEPTION OF RISK FROM CIGARETTE SMOKING: POPULATION ESTIMATES


**Perceive Great Risk from Smoking One or More Packs of Cigarettes per Day: Missouri Ages 12 and Older**




**Perceive Great Risk from Smoking One or More Packs of Cigarettes per Day: Missouri Ages 12-17**



**Perceive Great Risk from Smoking One or More Packs of Cigarettes per Day: Missouri Ages 18-25**




**Perceive Great Risk from Smoking One or More Packs of Cigarettes per Day: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**PERCEPTION OF RISK FROM USING MARIJUANA: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP**


**Perceive Great Risk from Smoking Marijuana Once a Month: United States and Missouri Ages 12 and Older**




**Perceive Great Risk from Smoking Marijuana Once a Month: United States and Missouri Ages 12-17**



**Perceive Great Risk from Smoking Marijuana Once a Month: United States and Missouri Ages 18-25**




**Perceive Great Risk from Smoking Marijuana Once a Month: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. 2014-2015 data are not available for this measure.

## PERCEPTION OF RISK FROM SMOKING MARIJUANA: POPULATION ESTIMATES


### Perceive Great Risk from Smoking Marijuana Once a Month: Missouri Ages 12 and Older




### Perceive Great Risk from Smoking Marijuana Once a Month: Missouri Ages 12-17



### Perceive Great Risk from Smoking Marijuana Once a Month: Missouri Ages 18-25




### Perceive Great Risk from Smoking Marijuana Once a Month: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages

## PERCEPTION OF RISK FROM USING COCAINE: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


### Perceive Great Risk from Using Cocaine Once a Month: United States and Missouri Ages 12 and Older




### Perceive Great Risk from Using Cocaine Once a Month: United States and Missouri Ages 12-17



### Perceive Great Risk from Using Cocaine Once a Month: United States and Missouri Ages 18-25




### Perceive Great Risk from Using Cocaine Once a Month: United States and Missouri Ages 26 and Older




Data Source : U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages.

**PERCEPTION OF RISK FROM USING COCAINE: POPULATION ESTIMATES**


**Perceive Great Risk from Using Cocaine Once a Month: Missouri Ages 12 and Older**




**Perceive Great Risk from Using Cocaine Once a Month: Missouri Ages 12-17**



**Perceive Great Risk from Using Cocaine Once a Month: Missouri Ages 18-25**




**Perceive Great Risk from Using Cocaine Once a Month: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

## PERCEPTION OF RISK FROM TRYING HEROIN: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


### Perceive Great Risk from Trying Heroin Once or Twice: United States and Missouri Ages 12 and Older




### Perceive Great Risk from Trying Heroin Once or Twice: United States and Missouri Ages 12-17



### Perceive Great Risk from Trying Heroin Once or Twice: United States and Missouri Ages 18-25



### Perceive Great Risk from Trying Heroin Once or Twice: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages.




## PERCEPTION OF RISK FROM TRYING HEROIN: POPULATION ESTIMATES


**Perceive Great Risk from Trying Heroin Once or Twice: Missouri Ages 12 and Older**




**Perceive Great Risk from Trying Heroin Once or Twice: Missouri Ages 12-17**



**Perceive Great Risk from Trying Heroin Once or Twice: Missouri Ages 18-25**




**Perceive Great Risk from Trying Heroin Once or Twice: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages.

## SUBSTANCE USE DISORDER: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Substance Use Disorder in the Past Year: United States and Missouri Ages 12 and Older**




**Substance Use Disorder in the Past Year: United States and Missouri Ages 12-17**



**Substance Use Disorder in the Past Year: United States and Missouri Ages 18-25**




**Substance Use Disorder in the Past Year: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. Disorder

## SUBSTANCE USE DISORDER IN THE PAST YEAR: POPULATION ESTIMATES


### Substance Use Disorder in the Past Year: Missouri Ages 12 and Older




### Substance Use Disorder in the Past Year: Missouri Ages 12-17



### Substance Use Disorder in the Past Year: Missouri Ages 18-25




### Substance Use Disorder in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5.

# ALCOHOL USE DISORDER IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Alcohol Use Disorder in the Past Year: United States and Missouri Ages 12 and Older




## Alcohol Use Disorder in the Past Year: United States and Missouri Ages 12-17



## Alcohol Use Disorder in the Past Year: United States and Missouri Ages 18-25




## Alcohol Use Disorder in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5 criteria.

## ALCOHOL USE DISORDER IN THE PAST YEAR: POPULATION ESTIMATES


### Alcohol Use Disorder in the Past Year: Missouri Ages 12 and Older




### Alcohol Use Disorder in the Past Year: Missouri Ages 12-17



### Alcohol Use Disorder in the Past Year: Missouri Ages 18-25




### Alcohol Use Disorder in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5.

## DRUG USE DISORDER: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


### Drug Use Disorder in the Past Year: United States and Missouri Ages 12 and Older




### Drug Use Disorder in the Past Year: United States and Missouri Ages 12-17



### Drug Use Disorder in the Past Year: United States and Missouri Ages 18-25




### Drug Use Disorder in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5 criteria. 2014-2015 data are not available for this measure.

## DRUG USE DISORDER IN THE PAST YEAR: POPULATION ESTIMATES


### Drug Use Disorder in the Past Year: Missouri Ages 12 and Older




### Drug Use Disorder in the Past Year: Missouri Ages 12-17



### Drug Use Disorder in the Past Year: Missouri Ages 18-25




### Drug Use Disorder in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5.

## OPIOID USE DISORDER: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Opioid Use Disorder in the Past Year: United States and Missouri Ages 12 and Older**




**Opioid Use Disorder in the Past Year: United States and Missouri Ages 12-17**



**Opioid Use Disorder in the Past Year: United States and Missouri Ages 18-25**



**Opioid Use Disorder in the Past Year: United States and Missouri Ages 26 and Older**




*Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. Disorder estimate is based on DSM-5 criteria. 2021 is the first year for this estimate.*




## OPIOID USE DISORDER IN THE PAST YEAR: POPULATION ESTIMATES


**Opioid Use Disorder in the Past Year: Missouri Ages 12 and Older**




**Opioid Use Disorder in the Past Year: Missouri Ages 12-17**



**Opioid Use Disorder in the Past Year: Missouri Ages 18-25**




**Opioid Use Disorder in the Past Year: Missouri Ages 26 and Older**




*Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5. 2021 is the first estimate year for this measure.*

## PAIN RELIEVER USE DISORDER: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Pain Reliever Use Disorder in the Past Year: United States and Missouri Ages 12 and Older**




**Pain Reliever Use Disorder in the Past Year: United States and Missouri Ages 12-17**



**Pain Reliever Use Disorder in the Past Year: United States and Missouri Ages 18-25**




**Pain Reliever Use Disorder in the Past Year: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5 criteria.

## PRESCRIPTION PAIN RELIEVER USE DISORDER IN THE PAST YEAR: POPULATION ESTIMATES


**Prescription Pain Reliever Use Disorder in the Past Year: Missouri Ages 12 and Older**




**Prescription Pain Reliever Use Disorder in the Past Year: Missouri Ages 12-17**



**Prescription Pain Reliever Use Disorder in the Past Year: Missouri Ages 18-25**




**Prescription Pain Reliever Use Disorder in the Past Year: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5.

## TREATMENT NEED IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Needed Substance Use Treatment in the Past Year: United States and Missouri Ages 12 and Older, 2022**




**Needed Substance Use Treatment in the Past Year: United States and Missouri Ages 12-17, 2022**



**Needed Substance Use Treatment in the Past Year: United States and Missouri Ages 18-25, 2022**




**Needed Substance Use Treatment in the Past Year: United States and Missouri Ages 26 and Older, 2022**




*Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are percentages of the population needing treatment, including those who received treatment during the year.*

## TREATMENT NEED IN THE PAST YEAR: POPULATION ESTIMATES


**Needed Substance Use Treatment in the Past Year: Missouri Ages 12 and Older, 2022**




**Needed Substance Use Treatment in the Past Year: Missouri Ages 12-17, 2022**



**Needed Substance Use Treatment in the Past Year: Missouri Ages 18-25, 2022**




**Needed Substance Use Treatment in the Past Year: Missouri Ages 26 and Older, 2022**




*Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5.*

# SUBSTANCE USE TREATMENT IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


Received Substance Use Treatment in the Past Year: United States and Missouri Ages 12 and Older, 2022




Received Substance Use Treatment in the Past Year: United States and Missouri Ages 12-17, 2022



Received Substance Use Treatment in the Past Year: United States and Missouri Ages 18-25, 2022




Received Substance Use Treatment in the Past Year: United States and Missouri Ages 26 and Older, 2022




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Treatment received includes inpatient and outpatient treatment or counseling, medication-assisted treatment, telehealth treatment, and treatment received in correctional facility.

## SUBSTANCE USE TREATMENT IN THE PAST YEAR: POPULATION ESTIMATES


**Received Substance Use Treatment in the Past Year: Missouri Ages 12 and Older, 2022**




**Received Substance Use Treatment in the Past Year: Missouri Ages 12-17, 2022**



**Received Substance Use Treatment in the Past Year: Missouri Ages 18-25, 2022**




**Received Substance Use Treatment in the Past Year: Missouri Ages 26 and Older, 2022**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

# UNMET NEED FOR SUBSTANCE TREATMENT IN THE PAST YEAR: U.S. AND MISSOURI COMPARISON BY AGE GROUP


**Needed But Did Not Receive Substance Use Treatment in the Past Year: United States and Missouri Ages 12 and Older, 2022**




**Needed But Did Not Receive Substance Use Treatment in the Past Year: United States and Missouri Ages 12-17, 2022**



**Needed But Did Not Receive Substance Use Treatment in the Past Year: United States and Missouri Ages 18-25, 2022**



**Needed But Did Not Receive Substance Use Treatment in the Past Year: United States and Missouri Ages 26 and Older, 2022**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. 2022 is the first year that unmet need was calculated as a percentage of the population identified as needing treatment in each age group (page B-76), instead of the overall population of each age group. No estimate is available for the Missouri 12-17 age group due to small survey sample.




## UNMET NEED FOR SUBSTANCE USE DISORDER TREATMENT: POPULATION ESTIMATES


### Needing But Not Receiving Specialty Treatment for Substance Use Disorder in Past Year: Ages 12 and Older




### Needing But Not Receiving Specialty Treatment for Substance Use Disorder in Past Year: Ages 12-17



### Needing But Not Receiving Specialty Treatment for Substance Use Disorder in Past Year: Ages 18-25




### Needing But Not Receiving Specialty Treatment for Substance Use Disorder in Past Year: Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. Disorder estimates prior to 2020 are based on DSM-IV criteria; beginning in 2020, estimates are based on DSM-5. Estimate is not available for the 12-17 age group due to small survey sample.

## ANY MENTAL ILLNESS IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


### Any Mental Illness in the Past Year: United States and Missouri Ages 18 and Older



### Any Mental Illness in the Past Year: United States and Missouri Ages 18-25




### Any Mental Illness in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages.

## ANY MENTAL ILLNESS IN THE PAST YEAR: POPULATION ESTIMATES


### Any Mental Illness in the Past Year: Missouri Ages 18 and Older



### Any Mental Illness in the Past Year: Missouri Ages 18-25



### Any Mental Illness in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages.

## SERIOUS MENTAL ILLNESS IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


### Serious Mental Illness in the Past Year: United States and Missouri Ages 18 and Older



### Serious Mental Illness in the Past Year: United States and Missouri Ages 18-25




### Serious Mental Illness in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages.

## SERIOUS MENTAL ILLNESS IN THE PAST YEAR: POPULATION ESTIMATES


### Serious Mental Illness in the Past Year: Missouri Ages 18 and Older



### Serious Mental Illness in the Past Year: Missouri Ages 18-25




### Serious Mental Illness in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages.

# MAJOR DEPRESSIVE EPISODE IN THE PAST YEAR: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


## Major Depressive Episode in the Past Year: United States and Missouri Ages 12-17




## Major Depressive Episode in the Past Year: United States and Missouri Ages 18 and Older



## Major Depressive Episode in the Past Year: United States and Missouri Ages 18-25




## Major Depressive Episode in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages.

## MAJOR DEPRESSIVE EPISODE IN THE PAST YEAR: POPULATION ESTIMATES


### Major Depressive Episode in the Past Year: Missouri Ages 12-17




### Major Depressive Episode in the Past Year: Missouri Ages 18 and Older



### Major Depressive Episode in the Past Year: Missouri Ages 18-25




### Major Depressive Episode in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages.

## SUICIDE ATTEMPT: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


### Attempted Suicide in the Past Year: United States and Missouri Ages 12-17




### Attempted Suicide in the Past Year: United States and Missouri Ages 18 and Older



### Attempted Suicide in the Past Year: United States and Missouri Ages 18-25



### Attempted Suicide in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. 2021-2022 is the first Missouri analysis period for this measure for ages 12-17.




## SUICIDE ATTEMPT: POPULATION ESTIMATES


**Attempted Suicide in the Past Year: Missouri Ages 12-17**




**Attempted Suicide in the Past Year: Missouri Ages 18 and Older**



**Attempted Suicide in the Past Year: Missouri Ages 18-25**




**Attempted Suicide in the Past Year: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. 2021-2022 is the first Missouri analysis period for this measure for ages 12-17.

## CREATION OF SUICIDE PLAN: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


### Made Suicide Plan in the Past Year: United States and Missouri Ages 12-17




### Made Suicide Plan in the Past Year: United States and Missouri Ages 18 and Older



### Made Suicide Plan in the Past Year: United States and Missouri Ages 18-25




### Made Suicide Plan in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. 2021-2022 is the first Missouri analysis period for this measure for ages 12-17.

## SUICIDE PLAN: POPULATION ESTIMATES


**Made Suicide Plan in the Past Year: Missouri Ages 12-17**




**Made Suicide Plan in the Past Year: Missouri Ages 18 and Older**



**Made Suicide Plan in the Past Year: Missouri Ages 18-25**




**Made Suicide Plan in the Past Year: Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. 2021-2022 is the first Missouri analysis period for this measure for ages 12-17.

## SERIOUS THOUGHTS OF SUICIDE: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


### Had Serious Thoughts of Suicide in the Past Year: United States and Missouri Ages 12-17




### Had Serious Thoughts of Suicide in the Past Year: United States and Missouri Ages 18 and Older



### Had Serious Thoughts of Suicide in the Past Year: United States and Missouri Ages 18-25




### Had Serious Thoughts of Suicide in the Past Year: United States and Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. 2021-2022 is the first Missouri analysis period for this measure for ages 12-17.

## SERIOUS THOUGHTS OF SUICIDE IN THE PAST YEAR: POPULATION ESTIMATES


### Had Serious Thoughts of Suicide in the Past Year: Missouri Ages 12-17




### Had Serious Thoughts of Suicide in the Past Year: Missouri Ages 18 and Older



### Had Serious Thoughts of Suicide in the Past Year: Missouri Ages 18-25




### Had Serious Thoughts of Suicide in the Past Year: Missouri Ages 26 and Older




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. 2021-2022 is the first Missouri analysis period for this measure for ages 12-17.

## RECEIPT OF MENTAL HEALTH SERVICES: UNITED STATES AND MISSOURI COMPARISON BY AGE GROUP


**Received Mental Health Services in Past Year: United States and Missouri Ages 12 and Older**




**Received Mental Health Services in Past Year: United States and Missouri Ages 18 and Older**



**Received Mental Health Services in Past Year: United States and Missouri Ages 18-25**




**Received Mental Health Services in Past Year: United States and Missouri Ages 26 and Older**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. 2022 is the first analysis period for this measure in the 12-17 age group.

## RECEIPT OF MENTAL HEALTH SERVICES IN THE PAST YEAR: POPULATION ESTIMATES


### Received Mental Health Services in the Past Year: Ages 12-17




### Received Mental Health Services in the Past Year: Ages 18 and Older



### Received Mental Health Services in the Past Year: Ages 18-25



### Received Mental Health Services in the Past Year: Ages 26 and Older



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Two-year estimates are annual averages. 2022 is the first year of analysis for this measure for the 12-17 age group.